

INCL INCLM: 435/290.400
 INCLS: 435/290.200; 435/290.100
 NCL NCLM: 435/290.400
 NCLS: 435/290.100; 435/290.200
 IC [7]
 ICM: C05F017-02
 EXF 435/290.1; 435/290.2; 435/290.4; 222/185.1

L3 ANSWER 4 OF 4 PASCAL COPYRIGHT 2004 INIST-CNRS. ALL RIGHTS RESERVED. on
 STN
 AN 2001-0071637 PASCAL
 CP Copyright .COPYRG. 2001 INIST-CNRS. All rights reserved.
 TIEN Potential of two epigeic and two anecic earthworm species in
 vermicomposting of water hyacinth
 AU GAJALAKSHMI S.; RAMASAMY E. V.; ABBASI S. A.
 CS Centre for Pollution Control and Energy Technology, Pondicherry
 University, Kalapet, Pondicherry 605 014, India
 SO Bioresource technology, (2001), 76(3), 177-181, 20 refs.
 ISSN: 0960-8524
 DT Journal
 BL Analytic
 CY United Kingdom
 LA English
 AV INIST-18769, 354000093960790010

=> d hist

(FILE 'HOME' ENTERED AT 11:06:50 ON 17 MAY 2004)

INDEX 'ADISCTI, ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, AQUASCI,
 BIOBUSINESS, BIOCOMMERCE, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, CABA,
 CANCERLIT, CAPLUS, CEABA-VTB, CEN, CIN, CONFSCI, CROPB, CROPU, DISSABS,
 DDFB, DDFU, DGENE, DRUGB, DRUGMONOG2, ...' ENTERED AT 11:07:07 ON 17 MAY
 2004

SEA VERMICAST AND VERMICULTUR? AND FEED?

 1 FILE IFIPAT
 1 FILE PASCAL
 3 FILE USPATFULL
 1 FILE WPIDS
 1 FILE WPINDEX

L1 QUE VERMICAST AND VERMICULTUR? AND FEED?

FILE 'IFIPAT, PASCAL, USPATFULL' ENTERED AT 11:09:38 ON 17 MAY 2004

L2 5 S L1
 L3 4 DUP REM L2 (1 DUPLICATE REMOVED)

=>

L3 ANSWER 1 OF 4 IFIPAT COPYRIGHT 2004 IFI on STN DUPLICATE 1
 AN 10353765 IFIPAT;IFIUDB;IFICDB
 TI OLEAGINOUS DRILLING FLUID THAT PRODUCES A USEFUL SOIL AMENDMENT, METHOD
 OF USE AND BIO-REMEDIATION OF THE SAME AND RESULTING SOLIDS
 IN Candler John; Curtis G Wray; Getliff Jonathan (GB); Growcock Frederick;
 McEwan Greg (NZ); Rabke Stephen; Ross Sonya (NZ)
 PA Unassigned Or Assigned To Individual (68000)
 PI US 2003098180 A1 20030529
 AI US 2002-75747 20020214
 PRAI US 2001-268635P 20010214 (Provisional)
 US 2001-269204P 20010215 (Provisional)
 US 2001-269752P 20010219 (Provisional)
 US 2001-298765P 20010616 (Provisional)
 FI US 2003098180 20030529
 DT Utility; Patent Application - First Publication
 FS MECHANICAL
 APPLICATION

CLMN 59

GI 20 Figure(s).

FIG. 1 is a graphical representation of exemplary sample data showing the effect of temperature on biodegradation rate of linear paraffin based drilling fluid on simulated cuttings in a bioreactor.

FIG. 2 is a graphical representation of exemplary sample data showing the effect of time on oxygen uptake rate (OUR) and % oil and/or synthetic drilling fluid on cuttings (ROC) of an linear paraffin based drilling fluid on simulated cuttings in a bioreactor at 25 degrees C.

FIG. 3 is graphical representation of exemplary sample data showing chromatographic analysis of hydrocarbon content of cuttings in a composting trial over a period of 42 days in which the seven groups correspond to the seven linear paraffins used in the base fluid.

FIG. 4 is graphical representation of the exemplary sample data showing total petroleum hydrocarbon content detected by GC-FID (mg/kg dry weight) from the first test of vermicomposting.

FIG. 5 is graphical representation of exemplary sample data showing the total petroleum hydrocarbon content detected by GCFID (mg/kg dry weight) from the control sample of the second test of vermicomposting.

FIG. 6 is graphical representation of exemplary sample data showing the total petroleum hydrocarbon content detected by GCFID (mg/kg dry weight) from the 30% w/w application rate sample of the second test of vermicomposting.

FIG. 7 is graphical representation of exemplary sample data showing the total petroleum hydrocarbon content detected by GCFID (mg/kg dry weight) from the 50% w/w application rate sample of the second test of vermicomposting.

FIG. 8 is graphical representation of exemplary sample data showing the total petroleum hydrocarbon content detected by GCFID (mg/kg dry weight) from the 70% w/w application rate sample of the second test of vermicomposting.

FIG. 9 is graphical representation of exemplary sample data showing the total petroleum hydrocarbon content detected by GCFID (mg/kg dry weight) from the 100% w/w application rate sample of the second test of vermicomposting.

FIG. 10 is graphical representation of exemplary sample data of the average total petroleum hydrocarbon content detected by GCFID (mg/kg dry weight) for all application rates of the second test of vermicomposting.

FIG. 11 is graphical representation of exemplary data of the soil pH values at the initial starting point (T=0) and endpoint (T=60 days).

FIG. 12 is graphical representation of exemplary data of the soil electrical conductivity values at the initial starting point (T=0) and endpoint (T=60 days).

FIG. 13 is graphical representation of exemplary data of the soil soluble salt content values at the initial starting point (T=0) and endpoint

(T=60 days).
 FIG. 14 is graphical representation of exemplary data of the soil ammonium nitrogen concentration values at the initial starting point (T=0) and endpoint (T=60 days).
 FIG. 15 is graphical representation of exemplary data of the soil nitrate nitrogen concentration values at the initial starting point (T=0) and endpoint (T=60 days).
 FIG. 16 is graphical representation of exemplary data of the soil nitrite nitrogen concentration values at the initial starting point (T=0) and endpoint (T=60 days).
 FIG. 17 is graphical representation of exemplary data of the soil phosphate phosphorous concentration values at the initial starting point (T=0) and endpoint (T=60 days).
 FIG. 18 is graphical representation of exemplary data of the soil barium concentration values at the initial starting point (T=0) and endpoint (T=60 days).
 FIG. 19 is graphical representation of exemplary data of the soil heavy metal concentration values at the initial starting point (T=0) and endpoint (T=60 days).
 FIG. 20 is graphical representation of exemplary data of the hydrocarbon concentration values determined by GC-FID (mg/kg dry weight) over time of the third test of vermicomposting.

L3 ANSWER 2 OF 4 USPATFULL on STN
 AN 2003:294428 USPATFULL
 TI Treatment of waste materials
 IN Ritter, Russell Anthony, Scone, AUSTRALIA
 Niederberger, Anthony Martin, Waverton, AUSTRALIA
 Smith, Barry James, Eastwood, AUSTRALIA
 Lotzof, Mike, Balmain, AUSTRALIA
 Bannister, Kelvin, Woodberry, AUSTRALIA
 PI US 2003207443 A1 20031106
 AI US 2003-410010 A1 20030408 (10)
 RLI Division of Ser. No. US 2000-623695, filed on 1 Sep 2000, GRANTED, Pat.
 No. US 6548294 A 371 of International Ser. No. WO 1999-AU238, filed on
 31 Mar 1999, UNKNOWN
 PRAI AU 1998-2828 19980406
 DT Utility
 FS APPLICATION
 LN.CNT 568
 INCL INCLM: 435/290.400
 INCLS: 414/304.000; 414/305.000; 414/311.000
 NCL NCLM: 435/290.400
 NCLS: 414/304.000; 414/305.000; 414/311.000
 IC [7]
 ICM: C12M001-00

L3 ANSWER 3 OF 4 USPATFULL on STN
 AN 2003:102266 USPATFULL
 TI Device for treatment of waste materials with harvester access zone
 IN Ritter, Russell Anthony, Scone, AUSTRALIA
 Niederberger, Anthony Martin, Waverton, AUSTRALIA
 Smith, Barry James, Eastwood, AUSTRALIA
 Lotzof, Mike, Balmain, AUSTRALIA
 Bannister, Kelvin, Woodberry, AUSTRALIA
 PA Vermitech Pty Limited, New South Wales, AUSTRALIA (non-U.S. corporation)
 PI US 6548294 B1 20030415
 WO 9951545 19991014
 AI US 2000-623695 20000901 (9)
 WO 1999-AU238 19990331
 PRAI AU 1998-2828 19980406
 DT Utility
 FS GRANTED
 LN.CNT 578